



# 3 to 10 times higher acoustic absorption at low frequencies respect to Wools and Foams



Comparison of our products with others

1mm ATA Mute ABC muffler+ 35mm air VS wool/foam with 35mm thickness





## **BENEFIT**

**Ultra-Thin Acoustic Panel** 

- Exceptionally lightweight
- High-efficiency patented technology
- Crafted from 100% sustainable materials
- 100% recyclable
- Positive impact on health and wildlife
- Applicable across various industries
- Simple installation process
- Can be affixed to any curved surfaces
- Effectively absorbs low-frequency noise



### **FEATURES**

Acoustic Tape Thickness: 1 mm Acoustic Panel Thickness: 5-100 mm

Width: 10-60 cm Length: 60-120 cm Material: Natural Fiber


### ΔΡΡΙ ΙΩΔΤΙΩΝ

Inner and outer surfaces of HVAC systems, including heat pumps and air conditioning units.
Inner and outer surfaces of household appliances.
Composite structures.

Acoustic panels for buildings.

### Available upon request:

Fire Resistant; Covered with textile/fabric; Featuring wooden patterns.






# **BENEFIT**

**Ultra-Thin Acoustic Panel** 

- Exceptionally lightweight
- High-efficiency patented technology
- 100% recyclable
- Positive impact on health and wildlife
- Applicable across various industries
- Simple installation process
- Can be affixed to any curved surfaces
- Effectively absorbs low-frequency noise



### **FEATURES**

Acoustic Tape Thickness: 1-5 mm


Width: 10-100 cm Length: 60-120 cm Material: Carbon Fiber

# APPLICATION

Inner and outer surfaces of HVAC systems, Acoustic Panel Thickness: 10–100 mm including heat pumps and air conditioning units Inner and outer surfaces of household appliances Composite structures Acoustic panels for buildings

Available upon request:


Fire Resistant; Transparent; Covered with textile/fabric; Featuring wooden patterns .





**Ultra-Thin Acoustic Panel** 

- Exceptionally lightweight
- High-efficiency patented technology
- 100% recyclable
- Positive impact on health and wildlife
- Applicable across various industries
- Simple installation process
- Can be affixed to any curved surfaces
- Effectively absorbs low-frequency noise



**Acoustic Tape Thickness: 1 mm** Acoustic Panel Thickness: 5-100 mm


Width: 10-60 cm Length: 60-120 cm **Material: Glass Fiber** 

Acoustic panels for buildings.

Inner and outer surfaces of HVAC systems, including heat pumps and air conditioning units. Inner and outer surfaces of household appliances. Composite structures.

Available upon request:

Fire Resistant; Transparent; Covered with textile/fabric; Featuring wooden patterns .





# BENEFIT

Ultra-Thin Hygiene Acoustic Panel

- Including a nylon film to be fully Hygiene.
- Exceptionally lightweight
- High-efficiency patented technology
- 100% recyclable
- Positive impact on health and wildlife
- Applicable across various industries
- Simple installation process
- Can be affixed to any curved surfaces
- Effectively absorbs low-frequency noise



Acoustic Tape Thickness: 1 mm
Acoustic Panel Thickness: 5–100 mm
Width: 10–60 cm

Length: 60-120 cm

Material: Carbon Fiber

Inner and outer surfaces of HVAC systems, including heat pumps and air conditioning units.
Inner and outer surfaces of household appliances.
Composite structures.
Acoustic panels for buildings.

Available upon request:

Fire Resistant; Covered with textile/fabric; Featuring wooden patterns.

